





SC-400-P DOUBLE HEAD CUTTING MACHINE DIA 450 MM



CABINET T13	FEATURES		WARRANTY		CERTIFICATIONS		ENVIRONMENTAL		ELECTRICAL		MECHANICAL		ENVIRONMENTAL		ENVIRONMENTAL	
	1Y	3Y	5Y	10Y	UL	CE	RoHS	REACH	IEC 60335-1	IEC 60335-2-1	IEC 60335-2-2	IEC 60335-2-3	IEC 60335-2-4	IEC 60335-2-5	IEC 60335-2-6	IEC 60335-2-7
13	1Y	3Y	5Y	10Y	UL	CE	RoHS	REACH	IEC 60335-1	IEC 60335-2-1	IEC 60335-2-2	IEC 60335-2-3	IEC 60335-2-4	IEC 60335-2-5	IEC 60335-2-6	IEC 60335-2-7

Sale Office: Office No 9 Gound Floor Sakhi House, Trombay Road, Chembur East, Mumbai - 400071. | **Warehouse:** Gala No 9, A 6 Block, Padmini Complex Off Kalher Naka, Bhiwandi. | **Telephone No.:** 91 9769976747 | **Email:** alptechinternational@gmail.com



ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** 9769976747, 8828216747 / 22-25823203
Email.: alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

Description:

DESCRIPTION

Pvc 45 degree-90 degree and make precise cuts in the double sided intermediate

The Machine at 45 degree-90 degree automatic,easy adjustment opportunities in other intermediate

PLC control system

500 steps including cutting the number and size of memory capacity

6mtr program to automatically cut the long profile of 4mtr

Multi language support

Left head hard right on the head is moving

Single head hard and dual-head operation possibility

Cut-profile support from the head unit

Do not transport conveyor system moving head profile

Adjustable cutting speed

Diamond saw blade diameter 450mm

Saw outputs from 135 mm and allows double 62mmx2 profile cutting

Specification:

TECHNICAL SPECIFICATION

Power supply: 440 V, 3ph, 50-60 Hz -

Power output: 5 kW

Product Code: PRO-105

Country:  Turkish

HSN Code: 0

Unit: 0

Gross Weight: 810KG

Net Weight: 780KG

Dimension: L4300*W1070*H1310



ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** 9769976747, 8828216747 / 22-25823203
Email: alptechinternational@gmail.com | **Web:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

Motor : 2x2.2kw,2810 rpm

Spindle speed: 2,810 r.p.m.

Air pressure: 6-8 bar

Air consumption: 30 l/min.

Blade Dia - 450 mm

Blade inner Dia - 30mm

Rpm /min - 2980

Motor rpm - 2810

Options :

Cutting Optimization : A machine data transfer from the computer to the Ethernet module

High precision servo motor drive system (+/-0.1 mm)

High precision servo motor drive system (+/-0.1 mm)

LCD control panel

Fixed Head (right) profile conveyors systems

Barcode label printer