





ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagale Estate, Thane-400 604. INDIA. | **Telephone No.:** 9769976747, 8828216747 / 22-25823203
Email.: alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

SC-434-GE DOUBLE HEAD CUTTING MACHINE DIA 600 MM

CUTTING SAW / DOUBLE HEAD CUTTING MACHINE



Sale Office: Office No 9 Gound Floor Sakhi House, Trombay Road, Chembur East, Mumbai - 400071. | **Warehouse:** Gala No 9, A 6 Block, Padmini Complex Off Kalher Naka, Bhiwandi. | **Telephone No.:** 91 9769976747 | **Email:** alptechinternational@gmail.com



ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** 9769976747, 8828216747 / 22-25823203
Email.: alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

Description:

DESCRIPTION

The crack mill basis + the linear guides basis are machined the crack mill and the linear guides connection holes are drilled tapped with 5 Axis Metal Processing Center. Electrostatic Powder Coated Painting for the entire machine. Saw blade diameter 600 mm.

Net cutting length of 4.000 mm that can be extended to 7.500 mm with software support.

Cutting heads tilting 90 degrees and 45 degrees outwards pneumatically through a cylinder and in-between angles are adjusted manually.

Minimum cutting length of the bottom part of the profile when the heads tilt 45 degrees outwards: 630 mm.

Cutting width in 45 degrees: 222 mm.

Cutting width in 45 degrees: 222 mm.

10.2TFT-LCD Touch panel.

PLC Controller

Movable head is moving on crack mill + linear guides with brushless servo motor.

The height of the cut profile will be entered to the controller for the calculation of the cut size.

Cutting list read up to 99999 profiles.

3, 0 kW (4 Hp) 2.800 rpm motors.

Protection covers moving up and down automatically 2 pieces of horizontal and 1 piece vertical clamping pistons for each head.

Aluminum profile cutting optional. Hydro-Pneumatic cylinder modification + Pulse spray mist coolant.

Product Code: PRO-131

Country:  Turkish

HSN Code: 0

Unit: 0

Gross Weight: 0

Net Weight:

Dimension: 0



ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** 9769976747, 8828216747 / 22-25823203
Email.: alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

Roller conveyor system mounted beside the movable head. Colored cables inside the electrical cabinet.

Movable dust extraction drawers placed under the machine.

Automatic tilting of the heads from 22.5 to 135 degrees through servo motors and the upgraded 3 Axis CNC controller.

Automatic cutting in different sizes and different angels with automatic feeding mechanism.

Height measurement probe + the software

Repetitive cut in fixed 90 degrees with Variable or Fixed length.

Automatic Extended Cut.

Intermediate support pneumatic cylinders of 2.000 mm.

And the protection shield with 2 sets of buttons.

Dust trays under the machine. Complete set.

Specification:

OPTIONAL EQUIPMENT

15 Industrial Touch Panel PC Intel i7 2 GB RAM 32 GB SSID. Data transfer package for working together with all Windows and doors calculation softwares.USB or LAN- 4.5 Lakhs.

Bar code Reader

5 meter length -1.25 lakhs.

Coolant oil