






ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** +91 9769976747 / 22-25823203
Email.: alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

CNC PROFILE BENDING MACHINE 20 T 4 AXIS

BENDING MACHINE / BENDING MACHINE



Sale Office: Office No 9 Gound Floor Sakhi House, Trombay Road, Chembur East, Mumbai - 400071. | **Warehouse:** Gala No 9, A 6 Block, Padmini Complex Off Kalher Naka, Bhiwandi. | **Telephone No.:** 91 9769976747 | **Email:** alptechinternational@gmail.com



ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** +91 9769976747 / 22-25823203
Email.: alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

Description:

DESCRIPTION

I. Equipment Advantages

1. The machine is widely used in bending forming of standard and non-standard metal profiles in various industries such as building doors and windows curtain wall, automobile industry, decoration, high-speed rail, aerospace, outdoor advertising etc, such as S-shaped, round, oval and multi-radius forming of the same profile
2. According to the requirements of profile rolling shape, it is convenient to convert 3 axis and 4 axis
3. The machine adopts automatic numerical control system and special bending forming software, which is simple and convenient to operate.
4. Adopt numerical control hydraulic system to ensure positioning accuracy
5. According to the spring back data of profile forming, the machine accuracy is high systematic compensation.

II. Parameter Details:

Voltage:380v 50hz

Input Power?7.4kw

Working Pressure: 0.2Mpa

Specification:

Min Diameter of Bending:60mm

Max Width&Height of Profile:150*150mm

Max Diameter of Rolls:230mm

Lower shaft center-dimensions: 380mm Hydraulic Cylinder Pressure:20T

Roller-holding Shaft Diameter:60mm

Rotation Speed of Shaft: 1-8r/min Positioning Precision:±0.01mm

Top Roll Runout: 260mm X-Torque: 2300N.m

Dimension?1570×1000×1275mm Weight:1000kgs

III. Electric Spare Parts:

Product Code: PRO-416

Country:  Korean

HSN Code: 0

Unit: 0

Gross Weight:

Net Weight:

Dimension: 0

Sale Office: Office No 9 Gound Floor Sakhi House, Trombay Road, Chembur East, Mumbai - 400071. | **Warehouse:** Gala No 9, A 6 Block, Padmini Complex Off Kalher Naka, Bhiwandi. | **Telephone No.:** 91 9769976747 | **Email:** alptechinternational@gmail.com



ALPTECH INTERNATIONAL

Address: Plot No. A/232, Road No. 21, 'Y' Lane, Wagle Estate, Thane-400 604. INDIA. | **Telephone No.:** +91 9769976747 / 22-25823203
Email.: alptechinternational@gmail.com | **Web.:** www.alptechindia.com | **PAN NO.:** AARCA9816A | **GST No.:** 27AARCA9816A1ZJ

Siemens CNC system

Siemens 10 inch touch screen Japan Yuken hydraulic oil valve

VEICHI servo motor and driver Schneider electrics

IV. Profile Drawings as below